

**movemanSKG**

# Service Lifts



### ISO A Bi-parting doors on serving height

The **ISO A Dumb Waiter** is ideally suited to restaurants, pubs and offices, where it is convenient to load items at serving height. The stainless steel finish is hygienic and ideal for food handling, as is its optional heated shelf.

#### Features:

Dumb waiter lift car made of stainless steel or galvanised steel. Removable or heated shelf. Bi-parting landing doors. Approved door locks. Optional intercom and heated shelf. ISO-A can have motor below or above shaft.

#### No pit required.

#### Performance:

Capacity: 50 to 300 kgs  
 Lift Speed: 0.3 - 0.4m/s  
 Lift Car Width:  
 400 - 1000mm in 25mm increments  
 Lift Car Depth  
 500 - 1000mm in 25mm increments  
 Lift Car Height  
 600 - 1200mm in 50mm increments



### ISO C Bi-parting doors serving at floor level

The **ISO C** model is ideally suited for pubs, offices and industrial premises where heavy items are loaded at floor level. The ISO-C has bi-parting doors and a carrying capacity of 300kgs.

#### Features:

Lift car made of stainless steel or galvanised steel. All units serving on counter height are supplied with a removable shelf. Landing doors are bi-parting. Approved door locks. A pit is required.

#### Performance:

Capacity: 100 to 300 kgs  
 Lift Speed: 0.15m/s  
 Lift Car Width:  
 400 - 1000mm in 50mm increments  
 Lift Car Depth  
 600 - 1000mm in 50mm increments  
 Lift Car Height  
 800 - 1200mm in 50mm increments



## ISO D Hinged door serving at floor level

The ISO D model is ideally suited for pubs, offices and industrial premises where heavier items need to be loaded from floor level. The ISO-D has single or double hinged doors and a carrying capacity of 300kgs.

### Features:

Lift car made of stainless steel or galvanised steel sheets. Landing doors are single or double hinged. Approved door locks.



### Performance:

Capacity: 100 to 300 kgs  
Lift Speed: 0.15m/s  
Lift Car Width:  
400 - 1000mm in 50mm increments  
Lift Car Depth  
600 - 1000mm in 50mm increments  
Lift Car Height  
800 - 1200mm in 50mm increments



## Custom Models

We manufacture custom models to meet your precise requirements. Capacities from 50 to 1000kg and variable car dimensions mean we have a lift that will fit your application.

### Examples:

Service lifts for restaurants  
Barrel lifts for pubs, clubs and bars  
Under work top lifts for kitchens  
Small document hoists for offices and shops  
Low headroom options if ceiling height is restricted  
Alternative finishes including stainless or galvanized steel or a primed finish ready for you to paint




### Performance:

Capacity: 50 to 1000 kgs  
Lift Car Width:  
400 - 1400mm  
Lift Car Depth  
500 - 1800mm  
Lift Car Height  
600 - 2000mm



# ISO

## Service Lifts



Steel Structure

Drive Unit

Controls

### Standard Features:

Comply with all relevant BS and EN standards  
Maximum Capacity 1000kgs  
Single, double or bi-parting doors  
24 volt controls  
Call and Send on each landing  
Arrival buzzer  
Despatching delay device  
Position indicator on each landing

Counter Weight

Landing Doors

movemanSKG (a trading division of Otis Limited), 123 Abbey Lane, Leicester. LE4 5QX.  
Tel: 0116 225 2100, Fax: 0116 261 0397 Web: [www.movemanskg.co.uk](http://www.movemanskg.co.uk)